



# Artisan **Fire Bowls**

Assembly Guide

ELDORADO  OUTDOOR™



1

### Step 1

- Carefully unpack Fire Bowl
- Review all **HPC Burner Instructions & Warnings** before installation
- Leave nylon straps in place for carrying bowl to position



2

### Step 2

- Remove gas key, do not discard
- Lift burner assembly, but do not disconnect



3

### Step 3

- Remove lava rock from fire bowl base



4

### Step 4


- Use the provided nylon straps to lift bowl and position into final installation space



5

### Step 5

- Position Bowl into final location
- Cut nylon strap and remove
- Cut wire to allow for fixed gas pipe to enter bottom of bowl





6

### Step 6

- Connect flex line from fixed piping (not included)
- Insert key valve located on side of bowl
- Follow all **HPC, Hearth Products Controls Installation Instructions**



7

### Step 7

- Apply provided lava rock evenly over burner
- Review all warnings for using alternative media in the HPC Operating Instructions
- Follow all **HPC, Hearth Products Controls Installation & Operating Instructions** before operating burner



## FIRE BOWL OPERATIONAL WARNINGS

- Follow all **HPC, Hearth Products Controls Installation and Operating Instructions** before operating fire bowl burner unit.
- Do not overheat fire bowl by burning flame over 12" high.
- Do not operate in excessively windy conditions.
- We suggest that our products be installed by professionals that are locally licensed by the authority having jurisdiction in gas piping.
- Carefully follow all included instructions and local building codes to prevent personal injury or property loss.

**800.925.1491 [eldoradostone.com/outdoor](http://eldoradostone.com/outdoor)**

071213 © 2013 Eldorado Stone, LLC

